


BOUNCING DIAMONDS

Finished size: 42" x 46"



About the Designer

With a passion for quilting and a love for fabric, I started Lila Bean Quilts. Writing quilt patterns and making my own designs into beautiful quilts has been a dream come true.






When I am not at my sewing machine or designing quilts, you can find me taking care of my 3 small children alongside my husband.






Before Getting Started

- Read all directions before starting.
- All seam allowances are 1/4"
- RST means Right Sides Together
- WOF means Width of Fabric and assumes 42" wide
- Press seams outward as block is made from the center and working your way out

Fabric Requirements

	BABY SIZE 42" x 46"
 Fabric A	7/8 yard
 Fabric B	1/2 yard
 Fabric C	1 yard
 Binding	1/2 yard
 Backing	2 1/2 yards
Batting	50" X 54"

Cutting Instructions


	BABY 42" X 46"
 Fabric A	<input type="checkbox"/> (13) 1 ½" x WOF strips subcut into <input type="checkbox"/> (90) 1½" x 3" <input type="checkbox"/> (90) 1½" x 5"
 Fabric B	<input type="checkbox"/> (4) 3" x WOF strips subcut into <input type="checkbox"/> (45) 3" x 5"
 Fabric C	<input type="checkbox"/> (6) 5" x WOF strips subcut into <input type="checkbox"/> (45) 5" x 5"




To make your quilt scrappy, use fabrics from your stash and follow the cutting instructions for fabric C or for fabric C and D. A list of how many of each size fabric is listed under cutting instructions. You will still follow the same sewing instruction as listed below.

Block A Assembly


1. Sew RST (1) 3" Fabric A square to (2) 3"x1½" Fabric B rectangle. See Figure 1.



2. Sew RST Figure 1 to (2) 5"x1½" Fabric B rectangle. See Figure 2.




3. On the wrong side of Fabric C square, draw (1) line diagonally, corner to corner.




If you using an "Air Erasable Pen", I suggest only drawing a line on a couple of squares at a time.


4. Place Figure 2 and Fabric C RST. Sew ¼", on each side of your diagonal line,




5. Cut along diagonal line, as shown in Figure 5.



6. You will now have 2 HST's. Trim all HST to 4½".




7. Open HST and press seams. You should have (90) 4½" squares.



Quilt Top Assembly

- Follow the assembly diagrams for this section.
- Sew rows together. Press seams in one direction per row (as shown with arrow). Alternate direction of seams with each column. This will help nest seams and align rows.
- Be mindful of the direction of your blocks. Laying your quilt out before sewing blocks together will help with any confusion of which direction your block should be facing.



Finishing Your Quilt

1. Piece backing if needed and press seams.
2. Make a quilt sandwich by laying backing wrong side up, batting and then quilt top right side up.
3. Baste quilt as desired.
4. Quilt as desired.
5. Cut excess batting and backing.
6. Square up quilt.
7. Bind using your 2 ½" binding strips.
8. Congratulations! You finished your quilt. Enjoy!

Baby Quilt Coloring Page

